

```

<task>
  <name>group-sync</name>
  <bean>org.lsc.beans.SimpleBean</bean>
  <ldapSourceService>
    <name>fdsync-groups</name>
    <connection reference="source" />

    <baseDn>OU=Groups,OU=DIV,OU=Applications,OU=Resources,o=org,c=US</baseDn>
    <pivotAttributes>
      <string>cn</string>
    </pivotAttributes>
    <fetchAttributes>
      <string>cn</string>
      <string>member</string>
      <string>objectClass</string>
    </fetchAttributes>
    <getAllFilter><![CDATA[(objectClass=group)]]></getAllFilter>
    <getOneFilter><![CDATA[(objectClass=group)(cn={cn})]]></getOneFilter>
    <cleanFilter><![CDATA[(objectClass=group)(cn={cn})]]></cleanFilter>
  </ldapSourceService>
  <ldapDestinationService>
    <name>destination-groups</name>
    <connection reference="destination" />
    <baseDn>DC=poc,DC=local</baseDn>
    <pivotAttributes>
      <string>cn</string>
    </pivotAttributes>
    <fetchAttributes>
      <string>cn</string>
      <string>member</string>
      <string>objectClass</string>
    </fetchAttributes>
    <getAllFilter><![CDATA[(objectClass=group)]]></getAllFilter>
    <getOneFilter><![CDATA[(objectClass=group)(cn={cn})]]></getOneFilter>
  </ldapDestinationService>
  <propertiesBasedSyncOptions>
    <mainIdentifier>js:"cn=" +
    javax.naming.ldap.Rdn.escapeValue(srcBean.getDatasetFirstValueById("cn")) +
    ",OU=Groups,OU=DIV,OU=ORG,DC=poc,DC=local"</mainIdentifier>
    <defaultDelimiter>;</defaultDelimiter>
    <defaultPolicy>FORCE</defaultPolicy>
    <conditions>
      <create>true</create>

```

```

        <update>true</update>
        <delete>true</delete>
        <changed>true</changed>
    </conditions>
    <dataset>
        <name>objectclass</name>
        <policy>KEEP</policy>
        <createValues>
            <string>"group"</string>
            <string>"top"</string>
        </createValues>
    </dataset>
    <dataset>
        <name>member</name>
        <policy>FORCE</policy>
        <forceValues>
            <string>
                <![CDATA[js:
var membersSrcDn = srcBean.getDatasetValuesById("member");
var membersDstDn = [];
for (var i=0; i<membersSrcDn.size(); i++) {
    var memberSrcDn = membersSrcDn.get(i);
    var uid = "";
    try {
        uid = srcLdap.attribute(memberSrcDn, "uid").get(0);
    } catch(e) {
        continue;
    }
    var destDn = ldap.search("OU=Users,OU=DIV,OU=ORG,
(sAMAccountName=" + uid + ")");
    if (destDn.size() == 0 || destDn.size() > 1) {
        continue;
    }
    var destMemberDn = destDn.get(0) + "," + ldap.getContextDn();
    membersDstDn.push(destMemberDn);
}
membersDstDn
]]>
                </string>
            </forceValues>
        </dataset>
    </propertiesBasedSyncOptions>
    <scriptInclude>
        <string>bypass.js</string>
    </scriptInclude>
</task>

```

